

# STATE OF HAWAII REQUEST FOR EMERGENCY PROCUREMENT

Head of Purchasing Agency  
TO: ~~Chief Procurement Officer~~

FROM: Health/HHSC/Leahi Hospital  
(Department/Division/Agency)

Pursuant to §103D-307, HRS and Subchapter 10, Chapter 3-122, HAR, the Department requests approval for this emergency procurement.

Date: 4/6/05	After the fact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Nature of the Emergency: Mercury spill in Young Building, 2nd Floor.	

Vendor: Accent Management	Amount: \$7,586.89
---------------------------	--------------------

Description of goods, services, or construction to be purchased:  
Identify contaminated areas and contain, remove & dispose of mercury in accordance with EPA Standards

Reason for Vendor Selection:  
It was essential for the safety of residents & employees that the mercury spill be contained & removed immediately. Prolonged exposure to this hazardous material could lead to serious health problems. This vendor had previously performed satisfactory services and this was the most practical and advantageous solution for HHSC.

Direct questions to: Ted Dumaoal Phone: 832-3028

*I certify that the information provided above is, to the best of my knowledge, true and correct.*

Vernant Lee 6/1/05  
 Department Head or Designee Date  
 Oahu Regional CEO  
 Title (If other than Department Head)

Chief Procurement Officer's Comments:  
*Sorry about the problem  
 I am away, phone keeps me apprised.*

APPROVED  DISAPPROVED

[Signature]  
 Chief Procurement Officer Date  
 Head of Purchasing Agency